

Clear Beyond Speaker
cardas.com/clear

The basic building blocks of a Cardas cable have been constant since day one: Our own, Ultra Pure Copper, produced using our proprietary method. Multi-stranded Litz conductors, with strand size varying in Golden Ratio steps. Top quality dielectric materials and innovative air-tube dielectric suspension techniques. Premium connectors machined from copper & brass, plated with silver, and a flash of rhodium. Terminations performed by skilled craftsmen, using Cardas Quad Eutectic Solder and Cardas Rosin Flux Soldering Paste. These design elements were present in the original Cardas cables, like Quadlink & Hexlink, and former flagships such as Golden Cross & Golden Reference.

Our Clear cable line combines all of this with Matched Propagation Technology, the subject of George's most recent patent (US Patent 7,674,973), which matches the propagation rate of the conductor to that of the dielectric, eliminating time-smear distortion, improving musical integrity and dynamic range.




Warranty

All factory terminated cables come with our unmatched, transferable, Lifetime Warranty. In addition, we are dedicated to having the best customer service in the world.

Cardas Copper

At the heart of a Cardas cable is our Ultra Pure Cardas Copper. Mined in the Southwest USA and processed the Northeast, we employ proprietary drawing and annealing techniques to create the highest quality, purest copper strands. A Single Poly-Nylon coating is applied to prevent oxidation, and eliminate crosstalk between strands.



Viewed through a microscope, typical copper wire appears shredded and interleaved with impurities.



Cardas Copper, however, is drawn & annealed very slowly through Silver dies, in an Oxygen free, Hydrogen reduction atmosphere. The result is grain free, perfectly smooth and 99.9999% pure Copper strands.



In addition to our own cables, Cardas Copper is used by other high-end audio manufacturers, and in scientific applications.

Golden Ratio Scaled Conductors


As implied by our Nautilus Shell logo, the Golden Ratio is applied to many Cardas products, including our Litz conductor designs. In a Cardas multi-stranded Litz conductor, the smallest wires are at the center, with each layer increasing in size at a Golden Ratio step (1:1.618). This innovative micro resonance control technique was the subject of



one of George Cardas' first US patents, and is present in all of our cables & chassis wires.

Matched Propagation

The subject of George's 2008 US Patent (7,674,973), our Clear product line features Matched Propagation Technology, in which the propagation rate of the conductor is controlled through its internal geometry to match that of the dielectric material. These conductors overcome challenges dating back to the early days of the telephone. However, whereas those conductor/dielectric mismatches were dealt with using network boxes, Matched Propagation Conductors solve the problem within the cable itself - keeping the signal intact the entire way, rather than attempting to fix it after the fact.



Terminations

Terminating, or "putting a connector on" a Cardas multi-stranded Litz conductor requires skill and special equipment. We use our own Cardas Quad Eutectic Solder and Cardas Rosin Flux Soldering Paste, along with 800°F (427°C) irons & 700°F (371°C) solder pots. Our flagship speaker cables are terminated with a solder-less, compression die forging process in which the copper of the conductor and connector fuse together as one. These procedures are performed by our talented staff of Cardas Terminators, with decades of combined experience.




Cardas Connectors

Cardas connectors are machined from billet copper or brass, and plated with silver and a flash of rhodium. In addition to our own cables, Cardas connectors can be found on some of the finest equipment in the world.





Cardas Audio



Clear Beyond Interconnect

Performance

Clear Beyond Interconnect, our ultimate flagship interconnect and a marvel of modern cable design, features our most advanced Matched Propagation Conductors. Clear Beyond Interconnect brings noteworthy improvements in spatial imaging, dynamics, and low frequency impact while retaining the classic Cardas musicality.

Clear Beyond Interconnect builds on over 30 years of Cardas Audio's relentless dedication to the perfection of high performance cables. Superior shielding and advanced air-tube suspension geometry result in an O.D. of .511", which necessitates the use of our XRCA 13 adaptor for single-ended termination, and a re-designed CG XLR for balanced cables.

More than anything, Clear Beyond Interconnect is musical. Tonal balance is completely neutral with unsurpassed speed and transparency. Each pair is made to order and hand terminated only by our senior technicians.

Standard Terminations: Cardas SRCA or CG XLR


Design/Construction

Conductors: Matched Propagation Kevlar core, ultra fine Grade 1, 99.9999% pure oxygen free copper with SPN clear coat (Litz), gauge sizes scaled to Golden Ratio proportions and range from 47 AWG to 39 AWG. Cross-field layer geometry, insulated in ultra thin extruded PTFE jacket.

Geometry: Star-Quad 4 conductors with anti-static LDPE air-tubes bound with carbon impregnated PTFE tape wrap. Outer layer uses PTFE air-tubes scaled 1.618 times larger than the core tubes to suspend the composite shield of tinned copper and magnet wire away from the signal carrying conductors. Finished in an ultra soft extruded TPR jacket.

Gauge: 4x26.5 AWG

Outside Diameter: 0.511"/13mm



Clear Beyond Interconnect

Coppia	.5m/1.6ft	1m/3.3ft	1.5m/4.9ft	2m/6.5ft	2.5m/8.2ft	3m/9.8ft
Prezzo	4.310,00	5.310,00	6.310,00	7.310,00	8.310,00	9.310,00

Per lunghezze superiori quantozione su richiesta





Cardas Audio

INTERCONNECTS



Clear Interconnect

Performance

Completely neutral and transparent. Superb dynamics, high frequency extension and speed. Our flagship interconnect designed for reference level systems in acoustically neutral listening rooms. Perfect control over the entire frequency range. Extracts every detail and remains musical. Works great in long or short runs.

Standard Terminations: Cardas SRCA or CG XLR


Design/Construction

Conductors: Matched Propagation Kevlar core, ultra fine Grade 1, 99.9999% pure oxygen free copper with SPN clear coat (Litz), gauge sizes scaled to Golden Ratio proportions and range from 41 AWG to 39 AWG. Cross-field layer geometry, insulated in ultra thin extruded PTFE jacket.

Geometry: Equilateral triad 3 conductors with anti-static LDPE air-tubes bound with carbon impregnated PTFE tape wrap. Outer layer uses PTFE air-tubes scaled 1.618 times larger than the core tubes to suspend the composite shield of tinned copper and magnet wire away from the signal carrying conductors. Finished in an ultra soft extruded TPR jacket.

Gauge: 3x25.5 AWG

Outside Diameter: 0.450"/11.43mm



Clear Interconnect

Coppia	.5m/20in	1m/40in	1.5m/5ft	2m/6.7ft	2.5m/8.4ft	3m/10ft	3.5m/11.7ft	4m/13.4ft	4.5m/15ft	5m/16.7ft
Prezzo	2.100,00	2.813,00	3.525,00	4.238,00	4.950,00	5.663,00	6.375,00	7.088,00	7.800,00	8.513,00



Cardas Audio

INTERCONNECTS



Clear Reflection Interconnect

Performance

Designed to bring flagship level performance to real world systems, this cable has excellent high frequency extension and speed but is still slightly forgiving. Very neutral and dynamic with pitch black background. Clear Reflection pays homage to the Golden Reference, blending the very best of old with the very best of new. Clear Reflection also introduces a new copper colored SRCA which matches the black and copper cosmetics from Clear Reflection Speaker cable.


Standard Terminations: Cardas SRCA-CU or CG XLR-CU

Design/Construction

Conductors: Matched Propagation Kevlar core, Grade 1, 99.9999% pure oxygen free copper with SPN clear coat (Litz), gauge sizes scaled to Golden Ratio proportions. Cross-field layer geometry, insulated in extruded PFA jacket.
Geometry: Suspended air core twisted pair with anti-static LDPE air-tubes bound with carbon impregnated PTFE tape wrap. Outer layer uses PTFE air-tubes scaled 1.618 times larger than the core tubes to suspend the double composite shields of tinned copper and magnet wire away from the signal conductors. Finished in black ultra soft extruded TPR jacket.

Gauge: 2x25.5 AWG

Outside Diameter: 0.420"/10.66mm



Clear Reflection Interconnect

Coppia	.5m/1.6ft	1m/3.3ft	1.5m/4.9ft	2m/6.5ft	2.5m/8.2ft	3m/9.8ft	3.5m/11.5ft	4m/13.1ft	4.5m/14.7ft	5m/16.4ft
Prezzo	1.188,00	1.663,00	1.938,00	2.313,00	2.688,00	3.063,00	3.438,00	3.813,00	4.188,00	4.563,00



Cardas Audio

Clear Cygnus Interconnect

Performance

Clear Cygnus Interconnect benefits greatly from the latest developments in the Clear product line, including a more economical version of Clear Beyond Interconnect's air-tube suspension. This cable replaces Clear Light and brings added performance to the table without adding much to the price. Clear Cygnus is more detailed, but also slightly richer with better low frequency performance. Clear Cygnus performs well in any system at any length, in both single ended and balanced configurations. If you want Cardas musicality but with a neutral tonal balance, look no further.

Standard Terminations: Cardas GRMO or Neutrik XLR

Design/Construction

Conductors: Matched Propagation Kevlar core, Grade 1, 99.9999% pure OFHC copper with SPN clear coat (Litz), gauge sizes scaled to Golden Ratio proportions. Cross-field layer geometry, insulated in double layered PTFE tape wrapped jacket.


Geometry: Star-Quad 4 conductor, with anti-static LDPE air-tubes bound with carbon impregnated PTFE tape wrap. Outer layer uses PTFE air-tubes scaled 1.618 times larger than the core tubes to suspend the composite shield of tinned copper and magnet wire away from the signal conductors. Finished in an ultra soft extruded TPR jacket.

Gauge: 4x25.5 AWG

Outside Diameter: 0.384"/9.76mm


Clear Cygnus Interconnect

Coppia	.5m/1.6ft	1m/3.3ft	1.5m/4.9ft	2m/6.5ft	2.5m/8.2ft	3m/9.8ft	3.5m/11.5ft	4m/13.1ft	4.5m/14.7ft	5m/16.4ft
Prezzo	813,00	1.063,00	1.613,00	1.563,00	1.813,00	2.063,00	2.313,00	2.563,00	2.813,00	3.063,00



Cardas CG XLR upgrade:

Prezzo	375,00
--------	--------



CARDAS CLEAR CYGNUS INTERCONNECT

MADE IN USA

CARDAS CLEAR CYGNUS II



Cardas Audio

INTERCONNECTS



Clear Sky Interconnect

Performance

Transparent, dynamic, and neutral. Lowest priced interconnect using Matched Propagation technology. Excellent in long or short lengths. Suitable for any high-end system.

Standard Terminations: Cardas GRMO RCA or Neutrik XLR

Design/Construction

Conductors: Matched Propagation Kevlar core, Grade 1, 99.9999% pure oxygen free copper with SPN clear coat (Litz), gauge sizes scaled to Golden Ratio proportions. Braided cross-field layer geometry, insulated in advanced ultra thin FEP tape wrapped jacket.

Geometry: Shielded twisted pair with non conductive poly-e air-tubes bound with advanced ultra thin FEP tape wrap. Outer layer uses compressed poly-e air-tubes to suspend the tin plated copper braided shield and extruded alcryn rubber outer jacket away from the conductors.

Gauge: 2x23.5 AWG

Outside Diameter: 0.365"/9.27mm



Clear Sky Interconnect

Coppia	.5m/1.6ft	1m/3.3ft	1.5m/4.9ft	2m/6.5ft	2.5m/8.2ft	3m/9.8ft	3.5m/11.5ft	4m/13.1ft	4.5m/14.7ft	5m/16.4ft
Prezzo	540,00	690,00	840,00	987,00	1.140,00	1.290,00	1.440,00	1.590,00	1.740,00	1.890,00



Cardas Audio



Parsec Interconnect

Performance

Neutral with a hint of warmth on top. Very transparent for a cable of this price range. Excellent blend of warm midrange with extended bass and treble. This is the runaway favorite for best value in cables. Performs at levels more than twice its price.

Standard Terminations: Cardas GRMO RCA or Neutrik XLR

Design/Construction

Conductors: Kevlar core, Grade 1, 99.9999% pure oxygen free copper with SPN clear coat (Litz), gauge sizes scaled to Golden Ratio proportions. Braided cross-field layer geometry, insulated in FEP tape wrapped jacket.

Geometry: Shielded twisted pair with poly-e air-tubes bound with carbon impregnated FEP tape wrap. Outer layer uses compressed poly-e air-tubes to suspend the tin plated copper braided shield and outer extruded alcryn rubber jacket away from the conductors.

Gauge: 2x23.5 AWG

Outside Diameter: 0.360"/9.14mm

Parsec Interconnect

Coppia	.5m/1.6ft	1m/3.3ft	1.5m/4.9ft	2m/6.5ft	2.5m/8.2ft	3m/9.8ft	3.5m/11.5ft	4m/13.1ft	4.5m/14.7ft	5m/16.4ft
Prezzo	390,00	500,00	615,00	730,00	840,00	950,00	1.070,00	1.200,00	1.300,00	1.400,00



Iridium Interconnect

Performance

Combining a star quad arrangement with our proven golden ratio copper conductors, Iridium achieves the perfect balance of detail and warmth. Natural treble is blended with a smooth midrange and quick bass response for a very musical interconnect.

Standard Terminations: Cardas GRMO or Neutrik XLR. Terminated by hand in Bandon, Oregon.

Design/Construction

Conductors: Grade 1, 99.9999% pure OFHC copper with SPN clear coat (Litz), gauge sizes scaled to Golden Ratio proportions. Cross-field layer geometry, insulated in a FEP jacket.

Geometry: Shielded Star-Quad 4 conductor bound together in PTFE tape. Hybrid shield combines a spiral of tin plated copper and a carbon impregnated PTFE tape. Finished in an ultra soft and flexible extruded TPR jacket.

Gauge: 4x24.5 AWG

Outside Diameter: 0.300"/ 7.62mm



MADE IN USA

CARDAS AUDIO, EST 1987

CARDAS IRIDIUM INTERCONNECT

MADE IN USA

Iridium Interconnect

Coppia	.5m/1.6ft	1m/3.3ft	1.5m/4.9ft	2m/6.5ft	2.5m/8.2ft	3m/9.8ft	3.5m/11.5ft	4m/13.1ft	4.5m/14.7ft	5m/16.4ft
Prezzo	280,00	330,00	370,00	420,00	460,00	510,00	550,00	600,00	640,00	690,00





Cardas Audio

INTERCONNECTS

Crosslink Interconnect



Performance

Warm and forgiving but still detailed and musical. Designed for entry level to mid level stereo and home theater applications. Available with RCA or XLR.

Standard Terminations: Cardas GRCM RCA or Neutrik XLR

Design/Construction

Conductors: Grade 2, 99.99% pure oxygen free copper with SPN clear coat (Litz), gauge sizes scaled to Golden Ratio proportions. Cross-field layer geometry, insulated in a polyurethane jacket. Geometry: Twisted pair with natural cotton filler bound with FEP tape wrap. Tin plated copper spiral shield, PVC outer jacket.

Gauge: 2x20.5 AWG

Outside Diameter: 0.303"/7.69mm

Crosslink Interconnect

Coppia	.5m/1.6ft	1m/3.3ft	1.5m/4.9ft	2m/6.5ft	2.5m/8.2ft	3m/9.8ft	3.5m/11.5ft	4m/13.1ft	4.5m/14.7ft	5m/16.4ft
Prezzo	180,00	220,00	260,00	300,00	340,00	380,00	420,00	460,00	500,00	540,00





Cardas Audio

Clear Beyond Speaker

Performance

Based on the flagship Clear speaker cable and developed to go beyond reference performance in cost no object systems where the speakers require large amounts of current flow, Clear Beyond speaker is absolutely neutral and transparent. Perfectly balanced with articulate lows and delicate highs. Amazing dynamics with zero compression. This cable is like running two pairs of Clear Speaker inside one jacket and can be internally bi-wired or bi-amped.

Standard Terminations: Cardas spades or bananas forged using 10,000psi in Bandon Oregon.


Design/Construction

Conductors: Matched Propagation Kevlar core, Grade 1, 99.9999% pure oxygen free copper with SPN clear coat (Litz), gauge sizes scaled to Golden Ratio proportions ranging from ultra fine 41 AWG to 25 AWG. Cross-field layer geometry, insulated in an FEP tape wrapped jacket.


Geometry: Concentrically wound eight conductor with anti-static PTFE air tubes and a flexible TPR outer jacket.

Gauge: 8x10.5 AWG

Outside Diameter: 0.934"/23.72mm



SPEAKER CABLES



Clear Beyond Speaker

Coppia	.5m/1.6ft	1m/3.3ft	1.5m/4.9ft	2m/6.5ft	2.5m/8.2ft	3m/9.8ft	3.5m/11.5ft	4m/13.1ft	4.5m/14.7ft	5m/16.4ft
Prezzo	6.500,00	8.200,00	9.860,00	11.550,00	13.200,00	14.850,00	16.500,00	18.200,00	19.850,00	21.500,00

Bi-wire fee:

Prezzo	910,00
--------	--------





Cardas Audio

SPEAKER CABLES



Clear Speaker

Performance

The most musical and revealing speaker cable ever produced by Cardas Audio. Designed to be completely transparent and holographic, this cable matches the legendary Cardas sound with unforgiving detail delivery.

Standard Terminations: Cardas spades or bananas forged using 10,000psi in Bandon Oregon. Not available with internal bi-wire. See our Clear Jumpers for bi-wire applications.


Design/Construction

Conductors: Matched Propagation Kevlar core, Grade 1, 99.9999% pure oxygen free copper with SPN clear coat (Litz), gauge sizes scaled to Golden Ratio proportions ranging from ultra fine 41 AWG to 25 AWG. Cross-field layer geometry, insulated in an FEP tape wrapped jacket.

Geometry: Concentrically wound four conductor surrounded by anti-static fibers with a flexible TPR outer jacket.

Gauge: 4x10.5 AWG

Outside Diameter: 0.675"/17.14mm



Clear Speaker

Coppia	.5m/1.6ft	1m/3.3ft	1.5m/4.9ft	2m/6.5ft	2.5m/8.2ft	3m/9.8ft	3.5m/11.5ft	4m/13.1ft	4.5m/14.7ft	5m/16.4ft
Prezzo	3.250,00	4.100,00	4.900,00	5.750,00	6.600,00	7.400,00	8.250,00	9.100,00	9.900,00	10.750,00



Clear Jumpers

Clear Bi-wire Jumpers use Clear speaker conductors, arranged like a very short Clear speaker cable.

Clear Jumpers

Prezzo	450,00
--------	--------

Standard Termination: Forged spades or forged bananas.



Cardas Audio

SPEAKER CABLES

Clear Reflection Speaker



Performance


Designed to blend the best of Golden Reference with the benefits of Clear and Matched Propagation technology. This cable has the richness and musicality of the classic and very successful Golden Reference, but also has the clarity and transparency of Clear. It can be internally bi-wired or tri-wired.

Standard Terminations: Cardas spades or bananas forged using 10,000psi in Bandon Oregon.

Design/Construction

Conductors: Matched Propagation, Kevlar core Grade 1, 99.9999% pure oxygen free copper with SPN clear coat (Litz), gauge sizes scaled to Golden Ratio proportions. Cross-field layer geometry, insulated in a FEP taped jacket.
Geometry: Anti-static fiber core Tri-Quad 12 conductor with anti-static filler to separate the three groups bound together in FEP tape. Flexible TPR outer jacket.

Gauge: 12x11.5 AWG
Outside Diameter: 0.680"/17.27mm



Clear Reflection

Coppia	.5m/1.6ft	1m/3.3ft	1.5m/4.9ft	2m/6.5ft	2.5m/8.2ft	3m/9.8ft	3.5m/11.5ft	4m/13.1ft	4.5m/14.7ft	5m/16.4ft
Prezzo	2.000,00	2.450,00	2.900,00	3.350,00	3.750,00	4.200,00	4.650,00	5.100,00	5.500,00	5.950,00

Terminazione Bi-wire

Prezzo	260,00
--------	--------

CLEAR REFLECTION premium



Clear Cygnus Speaker

Performance

It wasn't easy to improve upon Clear Light without giving up it's incredible value, but we did it! Clear Cygnus is more revealing, more holographic, and more refined. Matched Propagation conductors help to provide a very open and dynamic sound. In addition it can be internally bi-wired which wasn't an option with Clear Light.

Standard Terminations: Cardas spades or bananas forged using 10,000psi in Bandon Oregon.

Design/Construction

Conductors: Braided Matched Propagation Kevlar core, Grade 1, 99.9999% pure OFHC copper with SPN clear coat (Litz), gauge sizes scaled to Golden Ratio proportions. Cross-field layer geometry, insulated in a PTFE tape and Electro-Dissipative dielectric.

Geometry: Concentrically braided four conductor surrounded by anti-static fibrillated polypropylene fibers. Outside jacket is a soft and flexible TPE rubber.

Gauge: 4x15 AWG


Outside Diameter: 0.695"/17.67mm

Clear Cygnus Speaker

Coppia	.5m/1.6ft	1m/3.3ft	1.5m/4.9ft	2m/6.5ft	2.5m/8.2ft	3m/9.8ft	3.5m/11.5ft	4m/13.1ft	4.5m/14.7ft	5m/16.4ft
Prezzo	990,00	1.290,00	1.590,00	1.890,00	2.200,00	2.500,00	2.800,00	3.100,00	3.390,00	3.690,00

Terminazione Bi-wire

Prezzo	260.00
--------	--------





Cardas Audio

Clear Sky X4 Speaker

Performance

Based on its big brother, Clear Cygnus speaker cable, the newly up-graded Clear Sky X4 now offers better resolution than the original Sky, and is more suitable for a wider range of speakers. Our new braided conductors allow reduced production time with minimal sacrifice of performance. The new X4 geometry also allows for internal bi-wire.

Finished with Cardas custom printed shrink tubing instead of machined aluminum strain relief, and soldered connectors instead of compression die forged terminations, Clear Sky X4 brings serious performance to the most affordable end of the Clear cable line.

Standard Terminations: Cardas CGMS spades or CABD bananas. Hand soldered in Bandon, Oregon.

Design/Construction

Conductors: Braided Matched Propagation, fibrillated polypropylene core, Grade 1, 99.9999% pure OFHC copper with SPN clear coat (Litz), gauge sizes scaled to Golden Ratio proportions. Cross-field layer geometry, insulated in a low noise PTFE tape and Electro-Dissipative dielectric.

Geometry: Concentrically braided four conductor surrounded by anti-static coated fibrillated polypropylene fibers. Outside jacket is very flexible Alcryn Rubber.

Gauge: 4x15 AWG

Outside Diameter: 0.720"8.30mm



Terminazione Bi-wire:

Prezzo	195.00
--------	--------

Clear Sky X4 Speaker

Coppia	.5m/1.6ft	1m/3.3ft	1.5m/4.9ft	2m/6.5ft	2.5m/8.2ft	3m/9.8ft	3.5m/11.5ft	4m/13.1ft	4.5m/14.7ft	5m/16.4ft
Prezzo	450,00	650,00	850,00	1.050,00	1.250,00	1.450,00	1.650,00	1.850,00	2.050,00	2.250,00





Cardas Audio

Parsec Speaker

Performance

Superb balance of characteristics. Classic Cardas midrange, quick bass, rich harmonics, and a naturally extended top octave. Works great with virtually any speaker including bi-wire. This cable evolved from Quadlink and is a mix of old and new technology found in our flagship cables.

Standard Terminations: Cardas CGMS spades or CABA bananas. Hand soldered in Bandon Oregon.


Design/Construction

Conductors: Braided Kevlar core Grade 1, 99.9999% pure oxygen free copper with SPN clear coat (Litz), gauge sizes scaled to Golden Ratio proportions. Cross-field layer geometry, insulated in a PTFE jacket.

Geometry: Nylon air tube core surrounded by Anti-static fibers, Star-Quad 4 conductor with PTFE air-tubes bound together in FEP tape. Flexible TPR outer jacket.

Gauge: 4x15.5 AWG

Outside Diameter: 0.500"/12.7mm



SPEAKER CABLES

Parsec Speaker

Coppia	.5m/1.6ft	1m/3.3ft	1.5m/4.9ft	2m/6.5ft	2.5m/8.2ft	3m/9.8ft	3.5m/11.5ft	4m/13.1ft	4.5m/14.7ft	5m/16.4ft
Prezzo	450,00	580,00	690,00	840,00	950,00	1.100,00	1.250,00	1.350,00	1.490,00	1.600,00

Terminazione Bi-wire

Prezzo	150,00
--------	--------





Cardas Audio

Iridium Speaker

Performance

Suitable for virtually any amp/speaker combination. Perfect for long or short runs. Rich midrange with strong bass and smooth treble. Iridium speaker cable performs like a product costing much more. This cable is very soft and flexible for its size. Jumpers are required for bi-wire.

Standard Terminations: Cardas CGMS spades or CABE bananas. Terminated by hand in Bandon, Oregon.


Design/Construction

Conductors: Grade 1, 99.9999% pure OFHC copper with SPN clear coat (Litz), gauge sizes scaled to Golden Ratio proportions. Cross-field layer geometry, insulated in a FEP jacket.

Geometry: Twisted pair with natural cotton filler bound with PTFE tape wrap. Finished in an ultra soft and flexible extruded TPR jacket.

Gauge: 2x11.5 AWG

Outside Diameter: 0.415"/10.54mm



SPEAKER CABLES

Iridium Speaker

Coppia	.5m/1.6ft	1m/3.3ft	1.5m/4.9ft	2m/6.5ft	2.5m/8.2ft	3m/9.8ft	3.5m/11.5ft	4m/13.1ft	4.5m/14.7ft	5m/16.4ft
Prezzo	260,00	340,00	420,00	490,00	570,00	650,00	730,00	810,00	880,00	960,00



Cardas Audio

Crosslink Speaker

Performance

Well balanced sound with great detail. Perfect for mid to entry level two channel and multi channel systems. Can be single wire or bi-wired. Also available in bulk so you can brew your own if you like. Printed with CL2 rating for in-wall use.


Standard Terminations: Cardas GRS spades or CABA bananas. Hand soldered in Bandon Oregon.

Design/Construction

Conductors: Air-tube core, grade 1 oxygen free copper.
Gauge sizes scaled to Golden Ratio proportions. Cross-field layer geometry, insulated in a poly jacket.
Geometry: Star-Quad 4 conductor with natural cotton filler bound together in FEP tape. Outer jacket is PVC

Gauge: 4x14.5 AWG

Outside Diameter: 0.365"/9.27mm



SPEAKER CABLES



Crosslink Speaker

Coppia	.5m/1.6ft	1m/3.3ft	1.5m/4.9ft	2m/6.5ft	2.5m/8.2ft	3m/9.8ft	3.5m/11.5ft	4m/13.1ft	4.5m/14.7ft	5m/16.4ft
Prezzo	230,00	270,00	320,00	370,00	410,00	460,00	500,00	550,00	590,00	640,00

Terminazione Bi-wire

Prezzo	90,00
--------	-------



Cardas Audio

101 Speaker

Performance

Smooth, non-fatiguing, and musical. The new entry level 101 sets the standard for high value speaker cables, and it's made in the USA! Available in bulk on 250 foot spools or factory terminated. Bare copper conductors make this quick and easy to terminate for DIY users.

Standard Terminations: Cardas CABE bananas or GRS spades. Hand soldered in Bandon Oregon.

Design/Construction

Conductors: Air-tube core, Cardas OFHC bare copper. Gauge sizes scaled to Golden Ratio proportions. Cross-field layer geometry, insulated in a poly jacket.

Geometry: Twisted pair two conductor with natural cotton filler bound together with PFA tape. Super flexible TPR outer jacket.

Gauge: 2x14 AWG

Outside Diameter: 0.365"/9.27mm



SPEAKER CABLES

101 Speaker (factory terminated pairs)

Coppia	.5m/1.6ft	1m/3.3ft	1.5m/4.9ft	2m/6.5ft	2.5m/8.2ft	3m/9.8ft	3.5m/11.5ft	4m/13.1ft	4.5m/14.7ft	5m/16.4ft
Prezzo	165,00	195,00	230,00	260,00	295,00	325,00	360,00	390,00	425,00	455,00



101 Speaker (250ft/76m spool)

Prezzo	2.190,00	(8.10 per foot)
--------	----------	-----------------





Cardas Audio



Clear Jumpers

Clear Bi-wire Jumpers use Clear speaker conductor, arranged like a very short Clear speaker cable. Clear Jumpers measure 10" (25.4cm).

As with all Clear speaker cables, Clear Bi-wire jumpers use multi-stranded concentric conductors. The outside of one concentric conductor is tied to the inside of the other for each lead (positive & negative). This is why the positive and negative leads are bundled together and can not be separated.

Standard Termination: Cardas spades or bananas forged using 10,000psi in Bandon Oregon.

Clear Jumpers

Prezzo	450,00
--------	--------

9.5 AWG Jumpers

Design/Construction

6"/15.24cm bi-wire jumpers.

Conductors: Grade 1, 99.9999% pure oxygen free copper with SPN clear coat (Litz), gauge sizes scaled to Golden Ratio proportions. Cross-field layer geometry, insulated in a PTFE jacket.

Standard Terminations: Cardas CGMS spades or CABD bananas. Hand soldered in Bandon Oregon. Sold in sets of 4.



9.5 AWG Jumpers

Prezzo	270,00
--------	--------

11.5 AWG Jumpers

Design/Construction

6"/15.24cm bi-wire jumpers.

Conductors: Grade 1, 99.9999% pure oxygen free copper with SPN clear coat (Litz), gauge sizes scaled to Golden Ratio proportions. Cross-field layer geometry, insulated in a PTFE jacket.

Standard Terminations: Cardas GRS spades or CABE bananas. Hand soldered in Bandon Oregon. Sold in sets of 4.



11.5 AWG Jumpers

Prezzo	195,00
--------	--------

CJP Jumper Plates

Design/Construction

Stamped from solid Grade 1, 99.9999% pure oxygen free copper.

Designed to fit 1.5" (38.1mm) binding post spacing. Dual spade size can fit standard 6.3mm or larger 9mm binding posts. Can be carefully bent to fit application if needed. Available in bare copper or silver/rhodium plate. Sold in sets of 4.



CJP R

Prezzo	104,00
--------	--------

CJP C

Prezzo	42,00
--------	-------

Bi-Wire Jumpers



Cardas Audio

Ground cable

Performance

Grounding issues between components leads to noise and hum. A central grounding point eliminates these problems, leading to greater dynamics, improved spatial imaging, and a lowering of the noise floor - especially in environments with an excess of radio frequency and electromagnetic interference.

Cardas 17.5 AWG multi-stranded Litz conductor Ground Wires are ideal for use with the Cardas Nautilus Power Strip. A Cardas CAB Banana connects to the 4mm jack next to the IEC on the Nautilus. Several Cardas Ground Wires can be attached to the CAB Banana, and from there, to unused line-level connectors on your equipment (ie, an RCA or XLR jack). In addition, some audio equipment has ground points to which a spade can be attached.

Every sound system is unique, and Cardas Ground Wires can be purchased individually, or in sets. Any length is available, and Cardas Ground Wires are available with nearly any possible connector, allowing you to create a custom loom for grounding your system.

Standard Termination: Spade, Banana, XLR, RCA. Terminations will depend on your equipment's available connection points and the central grounding point that you're using.

To use the Nautilus Power Strip as your central ground point we suggest a Cardas CAB to which a single banana and up to three spades can be attached.

Cardas Ground Wires are compatible with other makes of ground boxes that use spade or banana connectors. Refer to the manufactures of your equipment if you have any question on how to properly attached a ground point.

Design/Construction

Conductors: Grade 1, 99.9999% pure oxygen free copper with SPN clear coat (Litz), gauge sizes scaled to Golden Ratio proportions. Cross-field layer geometry, insulated in a clear PVC jacket.


Gauge: 1x17.5 AWG

Outside Diameter: 0.173"/4.40mm



Ground Cable

Singolo	.5m/1.6ft	1m/3.3ft	1.5m/4.9ft	2m/6.5ft	2.5m/8.2ft	3m/9.8ft	3.5m/11.5ft	4m/13.1ft	4.5m/14.7ft	5m/16.4ft
Prezzo	156,00	176,00	195,00	215,00	234,00	254,00	273,00	293,00	312,00	332,00




Cardas Audio



Nautilus EU Power Strip

Performance

The Nautilus is the Cardas approach to pure power distribution. Its elegant design is centered around premium, custom designed connectors. Point-to-Point wiring with heavy gauge, Ultra Pure solid core copper conductors. Passive RFI/EMI protection on every outlet, the same filters found on our flagship power cables. 3D printed wire guides ensure the uniformity of each coil. Capable of delivering clean, high current to all five outlets. An attractive case echoes design features from the original Cardas Golden 6A power strip. This power strip is perfect for anyone who wants their entire system connected to one high quality device.



Standard Terminations: Standard 15 amp IEC inlet and Cardas 4181EU premium schuko power outlets. Assembled by hand in Bandon, Oregon.

Design/Construction

Conductors: Solid core Grade 1, 99.9999% pure oxygen free copper insulated with extruded PVC. Ground conductor is Grade 1, 99.9999% pure oxygen free copper, gauge sizes scaled to Golden Ratio proportions. Cross-field layer geometry, insulated in a PFA jacket.

Chassis: Antiresonant extruded aluminum body with copper plated brass end caps. 1 kilogram copper earth plate.

Gauge: 2x10 AWG, 1x11.5 AWG

Dimensions: 476.25mm x 105.25mm x 76.70mm

Weight: 3.46 kg

Nautilus EU

Prezzo	1.950,00
--------	----------

20 amp version

Prezzo	2.080,00
--------	----------





Cardas Audio

Clear Beyond Power XL

Performance

To create Clear Beyond Power XL, we took our very popular Clear Beyond Power, and scaled everything up. Bigger conductors, better shielding and improved noise filtering. We then added yet another level of noise filtration, extending the path to ground to three times the length of the cable itself through a simple and graceful geometry that could only come from the mind of George Cardas.

This is our most sophisticated power cable ever, and is designed to provide the largest, most power hungry amplifiers with clean, high current, while also giving sensitive source components the stable, clear and noise free power they require for the absolute highest fidelity.

Terminated with our all new premium Cardas E-5 connectors, featuring silver/rhodium plated copper contact surfaces, Clear Beyond Power XL is designed for the most demanding electronics.

Standard Terminations: Soldered and crimped Cardas E-5 premium power plugs with silver/rhodium plated solid copper contacts. Terminated by hand in Bandon, Oregon.

Design/Construction

Conductors: Grade 1, 99.9999% pure oxygen free tin plated copper, gauge sizes scaled to Golden Ratio proportions. Cross-field layer geometry, insulated in a TPE jacket.

Each conductor has multiple lay lengths and has it's own shield.

Geometry: Entire cable is double shielded with tin plated copper and magnet wire. Twisted triad mixed with PVC air tubes bound with FEP tape wrap. Super flexible TPR outer jacket.

Filtration: A torodial ground filter is built into the termination and works in unison with a ground leg extension system.

Gauge: 3x9 AWG

Outside Diameter: 0.715"18.17mm



POWER

Clear Beyond Power XL

Singolo	.5m/1.6ft	1m/3.3ft	1.5m/4.9ft	2m/6.5ft	2.5m/8.2ft	3m/9.8ft	3.5m/11.5ft	4m/13.1ft	4.5m/14.7ft	5m/16.4ft
Prezzo	3.020,00	3.300,00	3.580,00	3.860,00	4.140,00	4.420,00	4.470,00	4.980,00	5.260,00	5.540,00



Cardas Audio



Clear Beyond Power

Performance

Designed to take current delivery and power filtration to the next level... Clear Beyond Power takes the "bigger is better" approach. Larger conductors deliver more power and our largest filter scrubs the power line clean. Don't let the size fool you, it's right at home powering front end components and giant mono block amplifiers. Completely neutral and transparent.

Standard Terminations: Soldered and crimped Cardas E-5 premium power plugs with silver/rhodium plated solid copper contacts. Terminated by hand in Bandon, Oregon.


Design/Construction

Conductors: Grade 1, 99.9999% pure oxygen free tin plated copper, gauge sizes scaled to Golden Ratio proportions. Cross-field layer geometry, insulated in a PTFE jacket.

Geometry: Double shielded with tin plated copper and magnet wire. Twisted triad mixed with PVC air tubes bound with FEP tape wrap. Super flexible TPR outer jacket.

Gauge: 3x10 AWG

Outside Diameter: 0.650"16.51mm



Clear Beyond Power

Singolo	.5m/1.6ft	1m/3.3ft	1.5m/4.9ft	2m/6.5ft	2.5m/8.2ft	3m/9.8ft	3.5m/11.5ft	4m/13.1ft	4.5m/14.7ft	5m/16.4ft
Prezzo	1.370,00	1.530,00	1.690,00	1.860,00	2.020,00	2.180,00	2.340,00	2.500,00	2.670,00	2.830,00



Cardas Audio

Clear Power

Performance

A reference level power cable that applies all the lessons learned over 25 years of developing high performance power cables; it was born from the ashes of the highly successful Golden Reference Power. Completely neutral tonal balance with additional filtering which increases dynamics. Large conductors make it suitable for those power hungry electronics and refined enough to power your more delicate source components.

Standard Terminations: Soldered and crimped Cardas power plugs with silver/rhodium plated solid copper contacts. Terminated by hand in Bandon, Oregon.

Design/Construction

Conductors: Grade 1, 99.9999% pure oxygen free copper, gauge sizes scaled to Golden Ratio proportions. Cross-field layer geometry, insulated in a PFA jacket.

Geometry: Double shielded with tin plated copper and magnet wire. Twisted triad mixed with PE air tubes bound with PTFE tape wrap. Super flexible TPR jacket.

Gauge: 3x11.5 AWG

Outside Diameter: 0.610"/15.49mm



Clear Power

Singolo	.5m/1.6ft	1m/3.3ft	1.5m/4.9ft	2m/6.5ft	2.5m/8.2ft	3m/9.8ft	3.5m/11.5ft	4m/13.1ft	4.5m/14.7ft	5m/16.4ft
Prezzo	850,00	980,00	1.110,00	1.240,00	1.370,00	1.500,00	1.630,00	1.760,00	1.890,00	2.020,00



Cardas Audio

OUT OF PRODUCTION

Clear Reflection Power

Performance

Clear Reflection Power brings modern Cardas conductor technology to a classic power cable design. Three 11.5 AWG Cardas litz conductors, double shield, and Cardas E-5 connectors make this a phenomenal value.

Standard Terminations: Soldered and crimped Cardas E-5 power plugs with silver/rhodium plated solid copper contacts. Terminated by hand in Bandon, Oregon.

Design/Construction

Conductors: Grade 1, 99.9999% pure oxygen free copper, gauge sizes scaled to Golden Ratio proportions. Cross-field layer geometry, insulated in a PFA jacket.

Geometry: Double shielded with tin plated copper and magnet wire. Twisted triad mixed with PE air tubes bound with PTFE tape wrap. Super flexible TPR jacket.

Gauge: 3x11.5 AWG

Outside Diameter: 0.610"/15.49mm



Clear Reflection Power

Singolo	.5m/1.6ft	1m/3.3ft	1.5m/4.9ft	2m/6.5ft	2.5m/8.2ft	3m/9.8ft	3.5m/11.5ft	4m/13.1ft	4.5m/14.7ft	5m/16.4ft
Prezzo	585,00	715,00	845,00	975,00	1.105,00	1.235,00	1.365,00	1.495,00	1.625,00	1.755,00



Cardas Audio

Clear Cygnus Power

Performance

Like a scaled down version of Clear Beyond Power, Cygnus Power features three well shielded conductors, and a passive noise filter. Although designed for use with source equipment and small-to-medium sized amplifiers, Cygnus Power has the current handling capacity for even larger, tube powered amps. As you would expect, Cygnus Power pairs well with the rest of the Cygnus lineup, and provides many of the benefits of it's higher-capacity siblings, at a fraction of the price.

Standard Terminations: Soldered and crimped Cardas power plugs with silver/rhodium plated solid copper contacts. Terminated by hand in Bandon, Oregon.

Design/Construction

Conductors: Grade 1, 99.9999% pure oxygen free tin plated copper, gauge sizes scaled to Golden Ratio proportions. Cross-field layer geometry, insulated in a PTFE jacket.

Geometry: Double shielded with tin plated copper and magnet wire. Twisted triad mixed with PVC air tubes bound with FEP tape wrap. Flexible TPR outer jacket.

Gauge: 3x13 AWG

Outside Diameter: 0.500"/12.7mm



POWER



Clear Cygnus Power

Singolo	.5m/1.6ft	1m/3.3ft	1.5m/4.9ft	2m/6.5ft	2.5m/8.2ft	3m/9.8ft	3.5m/11.5ft	4m/13.1ft	4.5m/14.7ft	5m/16.4ft
Prezzo	470,00	560,00	650,00	740,00	840,00	920,00	1.010,00	1.110,00	1.200,00	1.290,00





Cardas Audio

Parsec Power

Performance

Designed to reject and filter noise, Parsec Power borrows its conductors from the Clear M found higher up in the Cardas power cable line. Very flexible and suitable for both front end components and amplifiers. Brings your system to life with increased dynamics.

Standard Terminations: Soldered and crimped Cardas power plugs with silver/rhodium plated solid copper contacts.

Design/Construction

Conductors: Grade 1, 99.9999% pure oxygen free tin plated copper, gauge sizes scaled to Golden Ratio proportions. Cross-field layer geometry, insulated in a PTFE jacket.

Geometry: Double shielded with tin plated copper and magnet wire. Twisted triad mixed with PVC air tubes bound with FEP tape wrap. Super flexible TPR outer jacket.

Gauge: 3x14 AWG

Outside Diameter: 0.500"/12.7mm



POWER

Parsec Power

Singolo	.5m/1.6ft	1m/3.3ft	1.5m/4.9ft	2m/6.5ft	2.5m/8.2ft	3m/9.8ft	3.5m/11.5ft	4m/13.1ft	4.5m/14.7ft	5m/16.4ft
Prezzo	325,00	390,00	455,00	520,00	585,00	650,00	715,00	780,00	845,00	910,00





Cardas Audio

Iridium Power

Performance

Joining Iridium Speaker, Interconnect & Phono, Iridium Power brings high performance power delivery to the affordable end of our product line.

Shielded, with two Cardas 11.5 AWG Crossfield Conductors, PFA tape dielectric, and a toroidal filter, Iridium Power shares design features with our higher end power cables. Iridium Power is light & flexible, and comes terminated with our own Cardas 3455R Power Connectors. It has enough capacity to be used with almost any electronics from sensitive digital sources to power amplifiers.

Standard Terminations: Soldered and crimped Cardas power plugs with silver/rhodium plated solid copper contacts. Terminated by hand in Bandon, Oregon.

Design/Construction

Conductors: Grade 1, 99.9999% pure oxygen free copper with SPN clear coat (Litz), gauge sizes scaled to Golden Ratio proportions. Cross-field layer geometry, insulated in a PFA jacket.

Geometry: Double shielded using aluminum/mylar and tinned copper. Twisted pair with natural cotton filler bound with PTFE tape wrap. Super flexible Alcryn rubber jacket.

Gauge: 2x11.5 AWG

Outside Diameter: 0.490"/10.1mm



POWER

Iridium Power

Singolo	.5m/1.6ft	1m/3.3ft	1.5m/4.9ft	2m/6.5ft	2.5m/8.2ft	3m/9.8ft	3.5m/11.5ft	4m/13.1ft	4.5m/14.7ft	5m/16.4ft
Prezzo	270,00	310,00	350,00	390,00	430,00	470,00	510,00	550,00	590,00	630,00





Cardas Audio



Clear Headphone cable

Performance

We took the Clear speaker cable and scaled it down to work for only the best headphones on the planet. This is a dual mono run (two completely isolated cables for left and right) just like a pair of speaker cables. Perfect for balanced or single ended operation. Completely neutral, detailed, with lifelike dynamics. This cable helps you to forget about the headphones and get lost in the music.

Standard Termination: Cardas 1/4" stereo and Sennheiser HD800. See below for other terminations.

Design/Construction

Conductors: Matched Propagation Kevlar core, Grade 1, 99.9999% pure oxygen free copper with SPN clear coat (Litz), gauge sizes scaled to Golden Ratio proportions. Cross-field layer geometry, insulated in an FEP tape wrapped jacket. Geometry: Concentrically wound two conductor flanked by anti-static fibers. Braided nylon outer jacket.

Gauge: 8x26.5 AWG

Outside Diameter: 0.170"/4.31mm



Cardas 1/4" Stereo



1/8" Stereo



Dual 3 pin XLR



Single 4 pin XLR



90* 1/8" Stereo



Balanced Dual 1/8"




HD800



Audeze



HiFi Man



HD700




Balanced 2.5mm



Alpha Dog

Clear Headphone

Singolo	.5m/1.6ft	1m/3.3ft	1.5m/4.9ft	2m/6.5ft	2.5m/8.2ft	3m/9.8ft	3.5m/11.5ft	4m/13.1ft	4.5m/14.7ft	5m/16.4ft
Prezzo	740,00	790,00	840,00	890,00	940,00	990,00	1.040,00	1.090,00	1.140,00	1.190,00



Cardas CG XLR upgrade:

Prezzo	195,00
--------	--------

HEADPHONE



Cardas Audio

CLEAR REFLECTION Headphone cable



Performance

Design based on our flagship headphone cable but with both left and right channels in a single cable. Matched Propagation conductors help to achieve very well balanced performance. Completely neutral and highly dynamic, a great match for virtually any headphone.

Standard Termination: Cardas 1/4" stereo and Sennheiser HD650. See below for other terminations.

Design/Construction

Conductors: Matched Propagation Kevlar core, Grade 1, 99.9999% pure oxygen free copper with SPN clear coat (Litz), gauge sizes scaled to Golden Ratio proportions. Cross-field layer geometry, insulated in an PTFE tape wrapped jacket.

Geometry: Concentrically wound two conductor flanked by anti-static fibers. Braided nylon outer jacket.

Gauge: 4x28.5 AWG

Outside Diameter: 0.180"/4.57mm



Cardas 1/4" Stereo



1/8" Stereo



Dual 3 pin XLR



Single 4 pin XLR



90° 1/8" Stereo




Balanced Dual 1/8"




HD800



Audeze



HiFi Man



HD700



Balanced 2.5mm



Alpha Dog

Clear Light Headphone cable

Singolo	.5m/1.6ft	1m/3.3ft	1.5m/4.9ft	2m/6.5ft	2.5m/8.2ft	3m/9.8ft	3.5m/11.5ft	4m/13.1ft	4.5m/14.7ft	5m/16.4ft
Prezzo										

HEADPHONE

Cardas CG XLR's upgrade:

Prezzo	
--------	--





Cardas Audio

Parsec Headphone cable

Performance

Parsec HPC has all the legendary benefits Cardas is known for: richness, warmth, detail, non fatiguing, musical, etc. The cable is very flexible and the rubber jacket slides nicely without snagging your clothing. The shielded star-quad design is one of our most versatile and successful products, very similar to our original headphone cable introduced back in 2003.

Standard Termination: Cardas 1/4" stereo and Sennheiser HD650. There are too many headphone and amp options available to list them all. Please contact us to learn about the newest additions to our large selection of headphone terminations.


Design/Construction

Conductors: Grade 1, 99.9999% pure oxygen free copper with SPN clear coat (Litz), gauge sizes scaled to Golden Ratio proportions. Cross-field layer geometry, insulated in a PFA jacket.

Geometry: Shielded Star-Quad 4 conductor, bound together in carbon impregnated FEP tape. Super flexible Alcryn rubber jacket.

Gauge: 4x23.5 AWG

Outside Diameter: 0.204"/5.21mm



Parsec Headphone cable

Singolo	.5m/1.6ft	1m/3.3ft	1.5m/4.9ft	2m/6.5ft	2.5m/8.2ft	3m/9.8ft	3.5m/11.5ft	4m/13.1ft	4.5m/14.7ft	5m/16.4ft
Prezzo	220,00	254,00	286,00	319,00	351,00	384,00	416,00	449,00	481,00	514,00



Cardas Audio

Personal Audio Interconnects

iLink

Performance

Literally cut from Cross Headphone cable but terminated with a right angle 1/8" stereo plug and stereo male RCA's. Perfect for playing music from your portable player on your home stereo.



iLink cable

Singolo	.5m/1.6ft	1m/3.3ft	1.5m/4.9ft	2m/6.5ft	2.5m/8.2ft	3m/9.8ft	3.5m/11.5ft	4m/13.1ft	4.5m/14.7ft	5m/16.4ft
Prezzo	208,00	240,00	273,00	305,00	338,00	370,00	403,00	436,00	468,00	500,00

Clear Light PAI 6"

Performance

Literally cut from Clear Light headphone cable but terminated with right angle 1/8" stereo plugs on both ends.



Clear Light PAI 6"/15.24cm

Prezzo	234,00
--------	--------

Standard Termination: 1/8" stereo to 1/8" stereo

Cross PAI 6"

Performance

Literally cut from Cross Headphone cable but terminated with right angle 1/8" stereo plugs on both ends.



Cross PAI 6"/15.24cm

Prezzo	156,00
--------	--------

Standard Termination: 1/8" stereo to 1/8" stereo

Headphone Interconnects

Performance

The original portable audio upgrade cable. Legendary Cardas sound and performance designed for compact portable products.



Standard Termination: 1/8" stereo to 1/8" stereo

Design/Construction

Conductors: Grade 1, 99.9999% pure oxygen free copper with SPN clear coat (Litz), gauge sizes scaled to Golden Ratio proportions. Cross-field layer geometry, insulated in a PFA jacket.

Geometry: Shielded twisted triad 3 conductor, bound together in FEP tape with cotton fillers. PVC outer jacket.

Singolo	.15m/6"	0.3m/1ft	1m/3.28ft	HPI-A
Prezzo	26,00	36,40	65,00	26,00

Gauge: 2x25.5 AWG + 1x23.5AWG

Outside Diameter: 0.122"/3.09mm

The only lengths available are listed above.



EM5813

Cardas Ear Speakers are efficient, natural, musical, and are the result of years of meticulous design by George Cardas.

Components of the EM5813 were manufactured in Oregon, California, and The People's Republic of China. Custom alloys were sourced from Italy, Germany and the US, magnets from China, and thin film from Japan.

The EM5813 can be ordered with - or reterminated with - balanced connections for use with Astell & Kern or Pono.

Standard Terminations: Right angle 1/8" stereo

EM5813

Balanced

Prezzo	530,00
--------	--------

Prezzo	610,00
--------	--------






Cardas Audio

A8 Ear Speaker 30th Anniversary Edition

An all new design, the A8 Ear Speakers feature a 10.85mm Ultra Linear, Contour Field, Dual Magnet Driver - producing brilliant highs and deep bass - but most importantly, it sounds musical. The new black chrome body incorporates a Golden Spiral curve, as with the EM5813. The lightweight, flexible cable has separate conductors for each channel and is now a continuous solid run from source to speaker. Available with balanced or custom configurations. Comes terminated with 3.5mm TRS standard.



Specifications

Driver Type: Ultra Linear Dynamic 10.85mm
Impedance: 32 ohms
Sensitivity: 110 db
Isolation: -20 db
Connector Type: 1/8" TRS or balanced
Cable: Golden ratio, 99.99% pure Litz copper
Cable length: 46"/116cm
Weight: 31.2 grams including cable
Warranty: 1 year, cosmetics 30 days

A8

Prezzo	440,00
--------	--------



Cardas Audio



Clear AES/EBU

Performance

The use of our Matched Propagation technology in digital cables has been nothing short of a game changer for digital audio transmission. More open, more dynamic, and completely neutral tonal balance. This is a reference level AES/EBU cable that compromises nothing.

Standard Terminations: Cardas CG XLR's

Design/Construction

Conductors: Matched Propagation Kevlar core, ultra fine Grade 1, 99.9999% pure oxygen free copper with SPN clear coat (Litz), gauge sizes scaled to Golden Ratio proportions and range from 41 AWG to 39 AWG. Cross-field layer geometry, insulated in ultra thin extruded PTFE jacket.

Geometry: Equilateral triad 3 conductors with anti-static LDPE air-tubes bound with carbon impregnated PTFE tape wrap. Specific geometry to achieve the 110 ohm AES/EBU standard. Finished in an ultra soft extruded TPR jacket.

Gauge: 3x25.5AWG

Outside Diameter: 0.355"/9.01mm



DIGITAL

Clear Digital AES/EBU

Singolo	.5m/20in	1m/40in	1.5m/5ft	2m/6.7ft	2.5m/8.4ft	3m/10ft	3.5m/11.7ft	4m/13.4ft	4.5m/15ft	5m/16.7ft
Prezzo	890,00	950,00	1.000,00	1.080,00	1.150,00	1.200,00	1.290,00	1.350,00	1.450,00	1.580,00



Cardas Audio

Clear Digital SPDIF / Coax



Performance

When you need a 75 ohm coaxial digital cable for your high-end digital playback, look no further. Clear Digital uses our flagship Matched Propagation conductors to transfer your digital content quickly and accurately. It's the most neutral, detailed, and revealing coax cable we have ever produced. Designed to compliment the best digital equipment on the market, this will extract every last detail.

Standard Terminations: Cardas SRCA or BNC

Design/Construction

Conductors: Matched Propagation Kevlar core, ultra fine Grade 1, 99.9999% pure oxygen free copper with SPN clear coat (Litz), gauge sizes scaled to Golden Ratio proportions and range from 41 AWG to 39 AWG. Cross-field layer geometry, insulated in ultra thin extruded PTFE jacket.

Geometry: Coaxial single conductor with anti-static LDPE air-tubes bound with PTFE tape wrap. Finished in an ultra soft extruded TPR jacket

Gauge: 1x25.5 AWG

Outside Diameter: 0.350"/8.89mm



DIGITAL

Clear Digital SPDIF Coax

Singolo	.5m/1.6ft	1m/3.3ft	1.5m/4.9ft	2m/6.5ft	2.5m/8.2ft	3m/9.8ft	3.5m/11.5ft	4m/13.1ft	4.5m/14.7ft	5m/16.4ft
Prezzo	890,00	950,00	1.000,00	1.080,00	1.150,00	1.200,00	1.290,00	1.350,00	1.450,00	1.580,00



Cardas Audio

Parsec Digital



Performance

Quite possibly the best value in digital cables, Parsec Digital is detailed, smooth, and musical. The cable is light, flexible and at home in almost any digital system.

Standard Terminations: Cardas GRMO or BNC

Design/Construction

Conductors: Grade 1, 99.9999% pure oxygen free copper with SPN clear coat (Litz), Gauge sizes scaled to Golden Ratio proportions. Cross-field layer geometry, insulated in a PTFE jacket.

Geometry: Coaxial with low density polyurethane air-tubes bound together in FEP tape to suspend the aluminized polyester and tin plated copper spiral shielding away from the conductors. Specific geometry achieves 75 ohms.

Gauge: 1x20.5 AWG

Outside Diameter: 0.345"/8.76mm



DIGITAL

Parsec Digital

Singolo	.5m/20in	1m/40in	1.5m/5ft	2m/6.7ft	2.5m/8.4ft	3m/10ft	3.5m/11.7ft	4m/13.4ft	4.5m/15ft	5m/16.7ft
Prezzo	140,00	190,00	240,00	290,00	340,00	390,00	440,00	490,00	540,00	590,00



Cardas Audio

Clear High Speed Serial Buss (USB)

Performance

Clear High Speed Serial Buss takes our Clear Serial Buss USB cable and adds a special high performance data cable using silver-plated conductors. Each conductor pair in both cables is discreetly shielded, and each cable has its own double-shield. This ultra-premium USB cable adds depth & realism, and improved imaging to your digital system. A noticeable improvement over our already high performing Clear Serial Buss. Clear High Speed Serial Buss USB is ideal for use with high resolution digital audio.

Standard Terminations: USB A to B

Design/Construction

Conductors: Matched Propagation Kevlar core, ultra fine Grade 1, 99.9999% pure oxygen free copper with SPN clear coat (Litz), gauge sizes scaled to Golden Ratio proportions. Cross-field layer geometry, insulated in ultra thin extruded PTFE jacket. Solid core copper silver plated data conductors.

Geometry: Dual asymmetrical star-quad 8 conductor. Signal carrying conductors are a shielded twisted pair. Power and signal conductors are bound with PFA tape. Final shield is aluminum/mylar, tin plated copper and magnet wire. Outer jacket is TPR.

Gauge: 2x25.5 AWG + 2x21.5 AWG + 23.5 AWG + 30 AWG

Outside Diameter: Approximately 0.453"/11.50mm

Clear High Speed Serial Buss (USB)

Singolo	.5m/1.6ft	1m/3.3ft	1.5m/4.9ft	2m/6.5ft	2.5m/8.2ft	3m/9.8ft	3.5m/11.5ft	4m/13.1ft	4.5m/14.7ft	5m/16.4ft
Prezzo	500,00	560,00	630,00	690,00	750,00	820,00	880,00	940,00	1.000,00	1.062,00

DIGITAL



Cardas Audio



DIGITAL

Clear USB

Performance

Cardas Clear USB is a musically neutral cable and sounds the same at any usable length. Clear USB is optimized for constant transfer impedance rather than a full wave characteristic impedance.

Standard Terminations: USB A to B

Design/Construction

Conductors: Matched Propagation Kevlar core, ultra fine Grade 1, 99.9999% pure oxygen free copper with SPN clear coat (Litz), gauge sizes scaled to Golden Ratio proportions. Cross-field layer geometry, insulated in ultra thin extruded PTFE jacket.

Geometry: Asymmetrical star-quad 4. Signal carrying conductors are a shielded twisted pair. Power and signal conductors are bound with PFA tape. Final shield is aluminum/mylar, tin plated copper and magnet wire. Outer jacket is TPR.

Gauge: 2x25.5 AWG + 2x21.5 AWG


Outside Diameter: 0.220"/5.58mm

Clear USB

Singolo	.5m/1.6ft	1m/3.3ft	1.5m/4.9ft	2m/6.5ft	2.5m/8.2ft	3m/9.8ft	3.5m/11.5ft	4m/13.1ft	4.5m/14.7ft	5m/16.4ft
Prezzo	225,00	250,00	275,00	300,00	325,00	350,00	375,00	400,00	425,00	450,00



Cardas Audio



Clear Network CAT-7

Performance

With the advent of network hard drives & high(er)-resolution streaming services, the demand for higher quality ethernet cables has exploded. Who wouldn't want increased speed, increased bandwidth, and less noise?

Standard Terminations: Telegartner RJ45

Design/Construction


Conductors: Grade 1, 99.9999% pure oxygen free copper.

Geometry: Arranged in shielded pairs, each pair with its own drain wire.

The bundle of pairs is wrapped in a foil shield, and then a braided shield. Jacketed in flexible TPR.

Gauge: 8x24AWG

Outside Diameter: 0.315"/8.01mm



Clear Network CAT7

Singolo	.5m/1.6ft	.75m/2.4	1m/3.3ft	1.5m/4.9ft	2m/6.5ft	2.5m/8.2ft	3m/9.8ft	3.5m/11.5ft	4m/13.1ft	4.5m/14.7ft
Prezzo	338,00	364,00	390,00	442,00	494,00	545,00	598,00	650,00	702,00	754,00





Cardas Audio

Clear Beyond Phono X2

Performance

Clear Beyond Dual Phono has been a “secret menu item” for a while. We were asked to prepare a pair of Clear Beyond Interconnects for use with a 5-pin DIN tonearm in an extreme analog system being shown at the Munich High End Show. Then word spread, and those in the know fell in love with it. Now Clear Beyond Dual Phono has escaped into the marketplace.

A single run of Clear Beyond Interconnect, with multiple shields, and eight 26.5 AWG Matched Propagation Conductors, is a top performing phono cable. Some vinyl playback systems, however, benefit from a dual run of interconnects. That’s not a problem when your turntable has RCA outputs. But if your tonearm has a DIN connector, you’re typically limited to a consolidated phono cable.

Standard Terminations: Cardas S-DIN to SRCA. Hand terminated in Bandon, Oregon.

Design/Construction

Conductors: Matched Propagation Kevlar core, ultra fine Grade 1, 99.9999% pure OFHC copper with SPN clear coat (Litz), gauge sizes scaled to Golden Ratio proportions and range from 47 AWG to 39 AWG. Cross-field layer geometry, insulated in ultra thin extruded PTFE jacket.

Geometry: Star-Quad 4 conductors with anti-static LDPE air-tubes bound with carbon impregnated PTFE tape wrap. Outer layer uses PTFE air-tubes scaled 1.618 times larger than the core tubes to suspend the composite shield of tinned copper and magnet wire away from the signal carrying conductors. Finished in an ultra soft extruded TPR jacket.

Gauge: 8x26.5 AWG

Outside Diameter: 0.511”/13mm

Clear Beyond Phono X2

Singolo	.5m/1.6ft	.75m/2.4ft	1m/3.3ft	1.25m/4ft	1.5m/5ft	1.75m/5.7ft	2m/6.5ft	2.25m/7.3ft	2.5m/8.2ft	2.75m/9ft
Prezzo	4.750,00	5.250,00	5.750,00	6.250,00	6.750,00	7.250,00	7.750,00	8.250,00	8.750,00	9.250,00


R-DIN (90° DIN plug):

Prezzo	78,00
--------	-------



Cardas CG XLR upgrade:

Prezzo	195,00
--------	--------





Cardas Audio

Clear Beyond Phono

Performance

Clear Beyond Phono, a marvel of modern cable design, features our most advanced Matched Propagation Conductors. Clear Beyond Phono brings noteworthy improvements in spatial imaging, dynamics, and low frequency impact while retaining the classic Cardas musicality.

Clear Beyond Phono builds on over 30 years of Cardas Audio's relentless dedication to the perfection of high performance cables. More than anything, Clear Beyond Phono is musical. Tonal balance is completely neutral with unsurpassed speed and transparency. Each is made to order and hand terminated only by our senior technicians.


Standard Terminations: Cardas S-DIN to SRCA or RCA to RCA

Design/Construction

Conductors: Matched Propagation Kevlar core, ultra fine Grade 1, 99.9999% pure OFHC copper with SPN clear coat (Litz), gauge sizes scaled to Golden Ratio proportions and range from 47 AWG to 39 AWG. **Cross-field layer geometry, insulated in ultra thin extruded PTFE jacket.** **Geometry:** Star-Quad 4 conductors with anti-static LDPE air-tubes bound with carbon impregnated PTFE tape wrap. Outer layer uses PTFE air-tubes scaled 1.618 times larger than the core tubes to suspend the composite shield of tinned copper and magnet wire away from the signal carrying conductors. Finished in an ultra soft extruded TPR jacket.

Gauge: 4x26.5 AWG

Outside Diameter: 0.511"/13mm



Clear Beyond Phono

Singolo	.5m/1.6ft	.75m/2.4ft	1m/3.3ft	1.25m/4ft	1.5m/5ft	1.75m/5.7ft	2m/6.5ft	2.25m/7.3ft	2.5m/8.2ft	2.75m/9ft
Prezzo	2.290,00	2.480,00	2.640,00	2.820,00	2.990,00	3.200,00	3.340,00	3.520,00	3.690,00	3.865,00

R-DIN (90° DIN plug):

Prezzo	78,00
--------	-------



Cardas CG XLR upgrade:

Prezzo	195,00
--------	--------





Cardas Audio



Clear Phono

Performance

Completely neutral and dynamic. Superb high frequency extension and speed. Our flagship phono cable is intended for reference level systems in acoustically neutral listening rooms. Perfect control over the entire frequency range. Extracts every detail and remains musical, never fatiguing.

Standard Terminations: Cardas S-DIN to Cardas SRCA, or RCA to RCA.

Design/Construction

Conductors: Matched Propagation Kevlar core, ultra fine Grade 1, 99.9999% pure oxygen free copper with SPN clear coat (Litz), gauge sizes scaled to Golden Ratio proportions and range from 41 AWG to 39 AWG. Cross-field layer geometry, insulated in ultra thin extruded PTFE jacket.

Geometry: Dual mono twisted pair conductors with anti-static LDPE air-tubes bound with carbon impregnated PTFE tape wrap. Outer layer uses PTFE air-tubes scaled 1.618 times larger than the core tubes to suspend the composite shield of 42 AWG tinned copper and magnet wire away from the signal carrying conductors. Finished in an ultra soft extruded TPR jacket.

Gauge: 4x25.5 AWG

Outside Diameter: 0.418"/10.6mm

Clear Phono


Singolo	.5m/1.6ft	.75m/2.4ft	1m/3.3ft	1.25m/4ft	1.5m/5ft	1.75m/5.7ft	2m/6.5ft	2.25m/7.3ft	2.5m/8.2ft	2.75m/9ft
Prezzo	1.290,00	1.460,00	1.640,00	1.820,00	1.990,00	2.165,00	2.340,00	2.520,00	2.690,00	2.865,00

R-DIN (90° DIN plug):

Prezzo	78,00
--------	-------

Cardas CG XLR upgrade:

Prezzo	195,00
--------	--------





Cardas Audio

Clear Cygnus Phono

Performance

Clear Cygnus Phono benefits greatly from the latest developments in the Clear product line, including a more economical version of Clear Beyond Interconnect's air-tube suspension. Clear Cygnus is detailed without any hint of harshness and has great low frequency performance. Clear Cygnus will help bring your analog to life. If you want Cardas musicality but with a neutral tonal balance, look no further.

Standard Terminations: Cardas S-DIN to Cardas GRMO, or RCA to RCA.


Design/Construction

Conductors: Matched Propagation Kevlar core, Grade 1, 99.9999% pure OFHC copper with SPN clear coat (Litz), gauge sizes scaled to Golden Ratio proportions. Cross-field layer geometry, insulated in double layered PTFE tape wrapped jacket.

Geometry: Star-Quad 4 conductor, with anti-static LDPE air-tubes bound with carbon impregnated PTFE tape wrap. Outer layer uses PTFE air-tubes scaled 1.618 times larger than the core tubes to suspend the composite shield of tinned copper and magnet wire away from the signal conductors. Finished in an ultra soft extruded TPR jacket.

Gauge: 4x25.5 AWG

Outside Diameter: 0.384"/9.76mm



Cygnus Phono


Singolo	.5m/1.6ft	.75m/2.4ft	1m/3.3ft	1.25m/4ft	1.5m/5ft	1.75m/5.7ft	2m/6.5ft	2.25m/7.3ft	2.5m/8.2ft	2.75m/9ft
Prezzo	500,00	560,00	625,00	690,00	750,00	820,00	875,00	940,00	1.000,00	1.060,00

R-DIN (90° DIN plug):

Prezzo	78,00
--------	-------

Cardas CG XLR upgrade:

Prezzo	195,00
--------	--------





Cardas Audio

Iridium Phono

Performance

Looking for a rich, non-fatiguing, musical cable for your analog playback that doesn't break the bank? Look no further. Iridium Phono brings that classic analog sound with warmth and richness without sacrificing balance and detail.

Standard Terminations: Cardas S-DIN-E to Cardas RCA's, or RCA to RCA.

Design/Construction

Conductors: Grade 1, 99.9999% pure OFHC copper with SPN clear coat (Litz), gauge sizes scaled to Golden Ratio proportions. Cross-field layer geometry, insulated in a FEP jacket.

Geometry: Shielded Star-Quad 4 conductor bound together in PTFE tape. Hybrid shield combines a spiral of tin plated copper and a carbon impregnated PTFE tape. Finished in an ultra soft and flexible extruded TPR jacket.

Gauge: 4x24.5 AWG

Outside Diameter: 0.300"/ 7.62mm



Iridium Phono

Singolo	.5m/1.6ft	.75m/2.4ft	1m/3.3ft	1.25m/4ft	1.5m/5ft	1.75m/5.7ft	2m/6.5ft	2.25m/7.3ft	2.5m/8.2ft	2.75m/9ft
Prezzo	221,00	247,00	273,00	299,00	325,00	351,00	377,00	403,00	429,00	455,00

R-DIN (90° DIN plug):

Prezzo	78,00
--------	-------



PHONO

RE-TERMINATION OPTIONS

<i>Prezzo per coppia</i>	<i>Prezzo</i>
CARDAS XLR's (CG F XLR & CG M XLR)	500,00
Reterminate to standard RCA or XLR	400,00
Reterminate to standard Spades	400,00
Reterminate to forged Spades or Bananas	500,00
Reterminate to forged Spades or Bananas BI-WIRE	670,00
Custom length or termination	85,00