

## Pro-Ject RPM 1 Genie

Manual turntable with fitted cartridge  
Ortofon OM 3E



### Turntable

- Chassis available in matt black
- A quiet running synchronous motor with a two-step metal pulley drives the platter's outside edge via a rubber belt.
- The drive motor is isolated on its own platform and completely decoupled from the plinth to eliminate vibration transmission.
- The resonance-optimised platter is made of medium density fibre.
- A inverted, chrome-plated stainless-steel axle runs on a polished metal ball in a sintered bronze bearing housing.
- Connection to the phono input of the amplifier can be made with connecting cables of your taste through the gold plated phono sockets and earth screw.
- External power supply avoids potential electro-mechanical interference.

### Tonearm Pro-Ject 8.6s

- The turntable is supplied with Ortofon OM 3E MM-cartridge fitted.
- The headshell and armtube are fashioned from a single piece of aluminium.
- The horizontal bearings consist of two hardened stainless steel points and ballraces.
- Eccentrically mounted counterweight reduces cantilever forces and dynamic wow when playing warped records.
- Solid armbase permits accurate height adjustment of armtube and VTA (vertical tracing angle).
- Single-screw fixing of armtube allows rotation for easy adjustment of needle azimuth despite fixed headshell.
- The S-shaped armtube with an effective length of 8,6" reduces toe-in error.
- The internal wiring consists of silver coated, high-purity copper.

Dimensions W x H x D: 380 x 115 x 350mm

Cartridge: Output voltage 4mV. Recommended load resistance 47kohms (MM-input).

The manufacturer reserves the right to alter the technical specifications without notice.